



Express Mail No. EV 016 648 212 US
Attorney Docket No. 10014.00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2643
Examiner: NYA

Confirmation No. 5078

IN RE THE APPLICATION OF:

INVENTORS: LIGA et al.

APPLICATION NO.: 09/767,053

FILING DATE: 22 January 2001

TITLE: CUSTOMIZED PROGRAM CREATION BY SPLICING
SERVER BASED VIDEO, AUDIO, OR GRAPHICAL
SEGMENTS

PRELIMINARY AMENDMENT


Commissioner for Patents
Box Non-Fee Amendment
U.S. Patent and Trademark Office
Washington, D.C. 20231

Certificate of USPS Express Mailing

Express Mail No. EV 016 648 212 US

Date of Deposit: 21 January 2003

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated above and is addressed to the Commissioner for Patents, U.S. Patent And Trademark Office, Washington, D.C. 20231.

Signature: 
Name: Kristi Murray

Sir:

AMENDMENTS

Please enter the following amendments in this application. Attached hereto as Appendix A is a marked-up version of the changes made to the specification and claims by the current amendment. The attached pages are captioned "Version With Markings To Show Changes Made."

In the Written Description:

At page 1, lines 10-14, replace the paragraph under the heading of "Cross References to Related Inventions" with the following paragraph:

This application is a continuation-in-part of and claims priority to U.S. patent application serial number 09/154,069 filed 16 September 1998 entitled *Compressed Digital-*

A1
once
once
Data Seamless Video Switching System, which is a continuation-in-part of U.S. patent application serial number 09/335,372 filed 17 June 1999 entitled *Compressed Digital-Data Seamless Video Switching System*, each of which is hereby incorporated herein by reference in its entirety. This application is also related to U.S. Patent Nos. 5,724,091 and 6,181,334, each of which is hereby incorporated herein by reference in its entirety.

At page 2, replace the paragraph at lines 14-22 as follows:

A2
In addition to the concerns of and limitations on the viewers, the channel explosion also makes it more difficult for advertisers to reach, or even find viewers potentially interested in their products or services. Viewers will be scattered throughout an ever spread of channels and the advertisers resources will be spread thin. Viewers will also be more likely to flip or surf through the spectrum of program offerings, searching for something of interest. When programming does not hold interest to a viewer, the advertiser loses because the viewer will not continue to watch the channel during a commercial break in anticipation of the next segment of the program.

At page 6, replace the paragraph at lines 19-27 as follows:

A3
In order to achieve the benefits of customized programming creation system, the present invention employs a digital interactive programming system as disclosed in U.S. Patent Nos. 5,724,091 and 6,181,314, and U.S. patent applications Serial Nos. 09/154,069 and 09/335,372, each of which is entitled: "Compressed Digital Data Seamless Video Switching System," and which are incorporated herein by reference. A preferred embodiment of a digital interactive programming system 100 specific to customized programming creation is shown in Figure 1a. Figure 1b depicts an interactive programming system 150 that utilizes an entirely network based transmission system, preferably the Internet 142.

At page 7, between the paragraph ending at line 23 and the paragraph beginning at line 24, insert the following new paragraph:

A4
first
Programming segments may be selected from the library of storage servers 214 at a user's local transmission center 102 or from another local transmission center or regional transmission center 140 remote from the user. A listing of the programming segments stored in the libraries, the location of the programming segments within the libraries, and a time period for storage of the programming segments within the libraries may be maintained in

one or more databases associated with the libraries. The library of digital program segments may be updated regularly according to a set of rules governing the library. The set of rules may provide instructions indicating which of the digital program segments are to be stored in the library, a location for storage of each of the digital program segments, and the length of time for storage of each of the digital program segments before the program segments should be purged from the library. The set of rules may be based upon an aggregation of related user preference information from the user information database 136 of a plurality of users. By reviewing user preferences, the interactive programming system 150 can determine which program segments are popular among users and should continue to be stored, and which program segments have little demand, and thus can be removed from the storage servers 214 in a particular library to provide room for more popular program segments.

At page 9, replace the paragraph at lines 13-28 as follows:

Customized programming content presented via a digital interactive programming system 100 can be provided in multiple forms. It can be simulated, wherein all possible programming content made available for customized programming is transmitted at all times so that switching between alternative programming segments to select tailored programming content can be performed at each user's receiver 108. This is a very limiting embodiment because the quantity of alternative programming segments available is limited as a function of the bandwidth of the transport stream 104. A second embodiment may transmit certain programming content to various groups of users based upon constructed group profiles. This embodiment provides more targeted programming content transmitted to a user's receiver 108 within the bandwidth limitations and allows for additional customization through switching between alternative programming segments at the user's receiver 108. A preferred embodiment provides for complete customized programming, tailored to each user, and is preferably implemented by switching between programming segments at the transmission center 102 prior to transmission, rather than at a user's receiver 108.

At page 26, replace the paragraph at lines 10-28 as follows:

In order to provide customized programming it is preferable to utilize the storage and transmission system disclosed herein in conjunction with a system that provides information about the users in order to more accurately provide appropriate and desired customized programming. Such information could be as simple as geographic location, which may also provide some demographic overtones. It is preferable, however, to have as much information

as possible about users in order to customize programming as accurately as possible. Addressable transmission systems such as digital cable and digital broadcast satellite television provide the ability to identify, interact with, and provide particular programming (e.g., pay-per-view-programming) directly to individual users, as well as collect more extensive information about them. Such information can include television viewing preferences, e.g., by capturing event programming guide information, and more particularized geographic and demographic data. If the transmission system 250 is interactive, queries can be presented to users to solicit additional user information, which can be compiled and analyzed to provide more focused programming content. Further, if the user participates in any television/Internet convergence programming offerings, additional information about the user's Internet usage can be used to establish a profile of the user, or profiles of groups of users, to allow the presentation of more customized programming.

Replace the paragraph beginning at page 27, line 34 and carrying over to page 28 through line 10 as follows:

In the present invention, the system software of the transmission system 250 and user receiver 550 preferably include browser software. These browsers may access a donut file or database structure storing donuts, and web servers may include files or other database structures for storing copies of the donut. The donut file for a particular user is typically stored only on a data storage server at the transmission center 102, or other remote location, but could be stored locally in memory on the user's receiver 550 or on both the server and the user's receiver 550. The donut thus implements a dynamic store of shared profile data that is exchanged between the user's receiver 550 (client) and server, with the flexibility to collect and process that data in three ways: client-side evaluation, http-based server-side evaluation, and network-based server-side evaluation.

Replace the paragraph beginning at page 29, line 34 and carrying over to page 30 through line 9 as follows:

The transmission system processor 258 and the receiver processor 560 may monitor the user's activity in order to dynamically update the user's donut. The user's activity may involve any type of information relating to the user's interaction with the network or program content provided to the user. For example, the user profile system may detect the following: programming viewed by the user; user viewing habits; advertisements viewed or not viewed; the rate at which the user selects or "clicks on" URLs to request particular content; which

18
Cancel

URLs the user selects; the amount of elapsed time the user has remained logged onto the network; the extent to which the user participates in chat room discussions; responses to interactive segments; other input from the user; and any other such information.

Replace the paragraph beginning at page 30, line 21 and carrying over to page 31 through line 2 as follows:

19-1

This donut methodology can be translated from an individual user based profile to a macro scale providing local, regional, and system-wide profiles. These macro system profiles can be used in the selection of programming for storage in storage servers 214 at the particular system site. For example, particular programming may be especially popular in the Southeast of the United States of America, while not commanding any sizeable audience in Utah. In this case it would not make sense for transmission centers 102 in Utah to store that particular programming in their storage servers 214. Creating regional and system-wide donut profiles can sensibly allocate programming storage to locations of highest demand. Programming that is universally popular may be redundantly stored at multiple transmission centers 102 to accommodate demand. The length of time that particular programming is saved in storage at a particular transmission system location may be part of the donut variables as well. Factors such as strength of demand, the average window in which users request such programming, the timeliness or currency of the programming (e.g., a weather forecast), etc., can be used in a donut scheme for stocking and turning over the programming libraries in the transmission system.

In the Claims:

Please cancel claims 91 and 92.

Please amend claims 1, 3, 5, 7, 11-20, 23-39, 42-46, 49-53, 55-71, 73-82, 85-86, and 88-90 as follows.

1. (Amended) A method of providing customized programming in a digital interactive programming system from a programming transmission center to at least one user, the customized programming comprising a succession of digital program segments selected by the digital interactive programming system from a plurality of digital program segments according to user preference information of the at least one user, the customized programming selected to appeal to the programming preferences of the at least one user, the method comprising:

20-10
Amend

accessing user preference information indicating the programming preferences of the

at least one user;

selecting and accessing a first digital program segment of the succession of digital program segments from the plurality of digital programming segments according to the user preference information of the at least one user;

transmitting the first digital program segment to a reception system of the at least one user;

identifying a splice point in the first digital program segment before completing the step of transmitting;

selecting and accessing a second digital program segment of the succession of digital program segments from the plurality of digital program segments according to the user preference information;

seamlessly switching from the first digital program segment to the second digital program segment at the splice point identified in the first digital program segment, wherein the switch occurs without creating any perceptible artifacts when the succession of digital program segments is presented to the at least one user; and

transmitting the second program segment to the reception system of the at least one user.

3. (Amended) A method of providing customized programming as described in claim 2 wherein the at least one storage server uses media selected from the group comprising at least one of: magnetic storage media, optical storage media, video tape, audio tape, compact disk, video disk, and mini-disk.

4. (Amended) A method of providing customized programming as described in claim 1 further comprising the step of encoding each of the succession of digital program segments with the splice point.

5. (Amended) A method of providing customized programming as described in claim 2 further comprising the step of encoding each of the succession of digital program segments with the splice point before the step of storing.

7. (Amended) A method of providing customized programming as described in claim 1 wherein the digital interactive programming system further comprises a user profile system and wherein the user preference information is accessed from the user profile system.

11. (Amended) A method of providing customized programming as described in claim 10 wherein the backchannel communication link is a communication system selected

from the group comprising: radio, telephony, wireless telephony, a communication network, the Internet, two-way cable, digital subscriber line, fiber optic, and satellite.

12. (Amended) A method of providing customized programming as described in claim 1 wherein at least one of the step of accessing the first digital program segment or the step of accessing the second digital program segment further comprises the steps of requesting and receiving at least one digital program segment from a remote transmission source.

13. (Amended) A method of providing customized programming as described in claim 12 wherein the remote transmission source is selected from the group comprising: a local transmission center, a regional transmission center, a local broadcast center, and a national broadcast center.

14. (Amended) A method of providing customized programming as described in claim 12 wherein the transmission received from the remote transmission source is received via a transmission medium selected from the group comprising: terrestrial broadcast television, cable, satellite, fiber optic, point-to-point microwave, radio, telephony, wireless telephony, the Internet, a private network, and a communication network.

15. (Amended) A method of providing customized programming as described in claim 1 wherein the succession of digital program segments is accessed from a library and the steps of selecting further comprise the step of selecting at least one digital program segment according to information within a library database associated with the library of digital program segments.

16. (Amended) A method of providing customized programming as described in claim 15 further comprising the step of updating the library and the library database according to a set of rules governing the library, wherein

the set of rules dictates:

which of the digital program segments are to be stored in the library,
a location for storing each of the digital program segments, and
a period of time for storage of each of the digital program segments, and

wherein

the library database stores information identifying the digital program segments stored, the location, and the period of time as determined by the set of rules; and

the set of rules is based upon an aggregation of related user preference information of a plurality of users.

17. (Amended) A method of providing customized programming as described in claim 1 wherein at least one of the step of accessing the first digital program segment or the step of accessing the second digital program segment further comprises retrieving at least one digital program segment from the Internet via a communication link between the programming transmission center and the Internet.

18. (Amended) A method of providing customized programming as described in claim 1 wherein at least one of the step of accessing the first digital program segment or the step of accessing the second digital program segment further comprises retrieving at least one digital program segment from a private network via a communication link between the programming transmission center and the private network.

19. (Amended) A method of providing customized programming as described in claim 1 wherein the steps of transmitting are performed over a transmission medium selected from the group comprising: terrestrial broadcast television, cable, satellite, fiber optic, microwave, radio, telephony, wireless telephony, the Internet, a private network, and a communication network.

20. (Amended) A method of providing customized programming as described in claim 1 wherein the plurality of digital program segments comprise at least one of the programming selected from the group comprising: audio, video, still-frame video, multimedia, graphic image, animation, data, programming applications, and text.

23. (Amended) A method of providing customized programming as described in claim 10 further comprising the step of receiving the user preference information at the programming transmission center via the backchannel communication link, wherein

the user preference information further comprises at least one of a user selection and an interactive response by at least one user to at least one interrogatory contained in the succession of digital program segments; and

the selection of the succession of digital program segments is further determined by the interactive programming system based upon at least one of the user selection and the interactive response.

24. (Amended) A method of providing customized programming as described in claim 4 wherein the step of encoding further comprises encoding at least one data command in at least one of the succession of digital program segments, the at least one data command encoded for instructing a reception system of the at least one user to retrieve an additional digital program segment over a communication network.

25. (Amended) A programming transmission system in a digital interactive programming system for providing customized programming from a programming transmission center to at least one user, the customized programming comprising a succession of digital program segments selected by the digital interactive programming system from a plurality of digital program segments according to user preference information of the at least one user, the customized programming selected to appeal to the programming preferences of the at least one user, the programming transmission system comprising:

A-13
a program selector which selects and accesses the succession of digital program segments from the plurality of digital program segments, wherein each of the succession of digital program segments is selected in individual succession by the digital interactive programming system based upon the user preference information of the at least one user;

a memory which stores the user preference information;

a data filter which identifies a splice point in each of the succession of digital program segments;

a program switcher which switches between a prior digital program segment and a successive digital program segment in the succession of digital program segments at the splice point of the prior digital program segment, wherein a seamless switch occurs without creating any perceptible artifacts when the succession of digital program segments is presented to the at least one user;

a processor that coordinates the functions of the program selector, the data filter, the program switcher, and the digital interactive programming system; and

a programming transmitter that transmits the successive digital program segments to the at least one user.

26. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising at least one storage server for storing the plurality of digital program segments.

27. (Amended) A programming transmission system for providing customized programming as described in claim 26 wherein the at least one storage server uses storage media selected from the group comprising at least one of: magnetic storage media, optical storage media, video tape, audio tape, compact disk, video disk, and mini-disk.

28. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising a backchannel receiver that receives user preference information from a receiver of the at least one user over a

backchannel communication link between the programming transmission center and the receiver of the at least one user.

29. (Amended) A programming transmission system for providing customized programming as described in claim 28 wherein the backchannel communication link is a communication system selected from the group comprising: radio, telephony, wireless telephony, a communication network, the Internet, a digital subscriber line, cable, fiber optic, and satellite.

30. (Amended) A programming transmission system for providing customized programming as described in claim 25 wherein the memory comprises a computer readable medium selected from the group comprising: a data storage server, optical storage media, and magnetic storage media.

31. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising a receiver that receives at least one of the succession of the digital program segments via a transmission from a remote transmission source.

32. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising:

a library in which the plurality of digital program segments is stored; and

a library database that stores information associated with the plurality of digital program segments.

33. (Amended) A programming transmission system for providing customized programming as described in claim 32 wherein

the library and the library database are updated according to a set of rules governing the library; wherein

the set of rules dictates:

the digital program segments to be stored,

a location for storing each of the digital program segments, and

a period of time for storage of each of the digital program segments;

the library database stores information identifying the digital program segments stored, the location, and the period of time as determined by the set of rules; and

the set of rules is based upon an aggregation of related user preference information of a plurality of users.

34. (Amended) A programming transmission system for providing customized programming as described in claim 31 wherein the remote transmission source is selected

from the group comprising: a local transmission center, a regional transmission center, a local broadcast center, and a national broadcast center.

35. (Amended) A programming transmission system for providing customized programming as described in claim 31 further comprising at least one storage server that stores the at least one of the succession of digital program segments received from the remote transmission source.

36. (Amended) A programming transmission system for providing customized programming as described in claim 31 wherein the program selector accesses the at least one of the succession of digital program segments directly from the receiver.

37. (Amended) A programming transmission system for providing customized programming as described in claim 31 wherein the transmission received from the remote transmission source is received via a transmission medium selected from the group comprising: terrestrial broadcast television, cable, satellite, fiber optic, microwave, radio, telephony, wireless telephony, the Internet, a private network, and a communication network.

38. (Amended) A programming transmission system for providing customized programming as described in claim 25 wherein the programming transmitter transmits the digital program segments over a transmission medium selected from the group comprising: terrestrial broadcast television, cable, satellite, fiber optic, microwave, radio, telephony, wireless telephony, the Internet, a private network, and a communication network.

39. (Amended) A programming transmission system for providing customized programming as described in claim 25 wherein the digital program segments comprise at least one of the programming selected from the group comprising: audio, video, still-frame video, multimedia, graphic image, animation, data, programming applications, and text.

42. (Amended) A programming transmission system for providing customized programming as described in claim 28, wherein

at least one of the succession of digital program segments contains an interrogatory for interacting with the at least one user;

the backchannel receiver receives at least one of a user selection and an interactive response by the at least one user to the interrogatory via the backchannel communication link between the programming transmission center and the receiver; and

the at least one of the succession of digital program segments selected is determined by the interactive programming system based upon the user selection or the interactive response.

43. (Amended) A programming transmission system for providing customized programming as described in claim 25 wherein the plurality of digital program segments are compressed and encoded according to MPEG standards.

44 A programming transmission system for providing customized programming as described in claim 43 wherein the splice point is an MPEG code.

45. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising a data inserter that inserts a data command in at least one of the succession of digital program segments to instruct a receiver of the at least one user to retrieve at least one of the succession of digital program segments from the Internet.

46. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising a data inserter that inserts a data command in at least one of the succession of digital program segments to instruct a receiver of the at least one user to retrieve at least one of the succession of digital program segments from a private network.

49. (Amended) A programming transmission system for providing customized programming as described in claim 25 further comprising a data rate controller that controls the rate at which each of the succession of digital program segments are transferred to the programming transmitter, thereby varying the rate of transmission of the succession of digital program segments to coordinate a transmission rate with a filling rate and an outflow rate of a buffering component in a receiver of the at least one user.

50. (Amended) A method of creating customized programming for transmission within a digital interactive programming system comprising:

selecting a first digital program segment and a second digital program segment from a plurality of digital program segments, the first and second digital program segments comprising a succession of digital program segments;

encoding a splice point within the first digital program segment to facilitate a seamless switch to the second digital program segment;


compressing the succession of digital program segments; and

storing the succession of digital program segments on a storage server accessible by a programming transmission center; wherein

the customized programming is selected to appeal to programming preferences of a user.

51. (Amended) A method of creating customized programming as described in claim 50 wherein the step of selecting is performed by the digital interactive programming system based upon user preference information of the user.

52. (Amended) A method of creating customized programming as described in claim 50 wherein the step of selecting is performed by the digital interactive programming system based upon user preference information of a plurality of users with common programming interests.

53. (Amended) A method of creating customized programming as described in claim 50 wherein the step of selecting is performed by the digital interactive programming system based upon information in a database governed by a set of rules, wherein

the set of rules dictates:

the succession of digital program segments to be stored,

a location for storing the succession of digital program segments, and

a period of time for storage of each of the succession of digital program segments; and wherein

the information in the database identifies the digital program segments stored, the location, and the period of time as determined by the set of rules; and

the set of rules is based upon an aggregation of related user preference information of a plurality of users.

55. (Amended) A method of creating customized programming as described in claim 50 wherein the storage server uses at least one of a storage media selected from a group comprising: magnetic storage media, optical storage media, video tapes, audio tapes, compact disks, video disks, and mini-disks.

56. (Amended) A method of creating customized programming as described in claim 50 wherein the storage server is located at the programming transmission center.


57. (Amended) A method of creating customized programming as described in claim 50 wherein the storage server is located at a remote transmission source from which the programming transmission center requests and receives at least one of the succession of digital program segments.

58. (Amended) A method of creating customized programming as described in claim 57 wherein the remote transmission source is selected from the group comprising: a local transmission center, a regional transmission center, a local broadcast center, a national broadcast center, an Internet server, and a private network server.

59. (Amended) A method of creating customized programming as described in claim 50 wherein the plurality of digital program segments comprise at least one of programming selected from a group comprising: audio, video, still-frame video, multimedia, animation, graphic image, and text.

60. (Amended) A method of creating customized programming as described in claim 50 wherein the plurality of digital program segments comprise still-frame video for transmission via a low bandwidth transmission medium.

61. (Amended) A method of creating customized programming as described in claim 50 wherein the step of encoding further includes encoding a data command in at least one of the succession of digital program segments, the data command for instructing receiving equipment of the user to retrieve an additional digital program segment from at least one of the Internet and a communication network.

 ~~62.~~ (Amended) A computer program product for instructing a computer controlled digital programming system with interactive programming technology to provide customized programming to a user, the customized programming comprising a succession of digital program segments selected by the digital programming system from a plurality of digital programming segments according to user preference information of a user, the customized programming selected to appeal to programming preferences of the user, the computer program product comprising a computer readable medium having computer readable program code embodied therein for controlling the programming transmission system, the computer readable program code comprising instructions for:

- causing the digital programming system to access the user preference information;
- causing the digital programming system to select and access a first digital program segment, wherein the selection of the first digital program segment is determined by the interactive programming system based upon the user preference information of the user;
- causing the digital programming system to transmit the first digital program segment to the user;
- causing the digital programming system to identify a splice point in the first digital program segment before the completion of its transmission to the user;
- causing the digital programming system to select and access a second digital program segment, wherein the selection of the second digital program segment is determined by the interactive programming technology based upon the user preference information of the user;
- causing the digital programming system to seamlessly switch from the first digital program segment to the second digital program segment at the splice point identified in the

first digital program segment, wherein the switch is accomplished without a user perceptible delay between presentation of the first digital program segment and the second digital program segment; and

causing the digital programming system to transmit the second digital program segment to the user, wherein an uninterrupted customized program transmission is provided to the user.

63. (Amended) A computer program product as described in claim 62 wherein the computer readable program code further comprises instructions for causing the digital programming system to store the plurality of digital program segments on a storage server at the programming transmission center, wherein the digital program segments are accessed from the storage servers.

64. (Amended) A computer program product as described in claim 62 wherein the computer readable program code further comprises instructions for causing the digital programming system to encode each of the succession of digital program segments with the splice point.

65. (Amended) A computer program product as described in claim 63 wherein the computer readable program code further comprises instructions for causing the digital programming system to encode each of the succession of digital program segments with the splice point before causing the digital programming system to store the succession of digital program segments.

66. (Amended) A computer program product as described in claim 64 wherein the succession of digital program segments are encoded according to MPEG standards.

67. (Amended) A computer program product as described in claim 65 wherein the succession of digital program segments are encoded according to MPEG standards.

68. (Amended) A computer program product as described in claim 63 wherein the computer readable program code further comprises instructions for causing the digital programming system to compress the succession of digital program segments before the step of storing.

69. (Amended) A computer program product as described in claim 68 wherein the succession of digital program segments are compressed according to MPEG standards.

70. (Amended) A computer program product as described in claim 62 wherein the computer readable program code further comprises instructions for causing the digital programming system to receive the user preference information from the user via a

backchannel communication link between a receiver of the user and the programming transmission center.

71. (Amended) A computer program product as described in claim 70 wherein the backchannel communication link is a communication system selected from the group comprising: radio, telephone, wireless telephone, a communication network, cable, fiber optic, and satellite.

73. (Amended) A computer program product as described in claim 70 wherein the computer readable program code further comprises instructions for causing the digital programming system to store the user preference information in a memory module at the programming transmission center.

74. (Amended) A computer program product as described in claim 73 wherein the memory module is a computer readable medium selected from the group comprising: a data storage server, optical storage media, and magnetic storage media.

75. (Amended) A computer program product as described in claim 62 wherein the instructions for accessing at least one of the first digital program segment and the second digital program segment further comprise instructions for causing the digital programming system to request and receive at least one of the first digital program segment and the second digital program segment from a remote transmission source.

76. (Amended) A computer program product as described in claim 75 wherein the remote transmission source is selected from the group comprising: a local transmission center, a regional transmission center, a local broadcast center, and a national broadcast center.

77. (Amended) A computer program product as described in claim 75 wherein the transmission received from the remote transmission source is received via a transmission medium selected from the group comprising: terrestrial broadcast television, cable, satellite, fiber optic, microwave, radio, telephone, wireless telephone, and a communication network.

78. (Amended) A computer program product as described in claim 62 wherein the instructions for requesting and receiving further comprise instructions for causing the digital programming system to select at least one of the first digital program segment and the second digital program segment based upon information in a database, the database associated with a library in which the plurality of digital program segments is stored.

79. (Amended) A computer program product as described in claim 78 further including instructions for causing the digital programming system to update the library and the database according to a set of rules governing the library, wherein

the set of rules dictates:

the digital program segments to be stored in the library,
a location for storing the digital program segments, and
a period of time for storage of each of the digital program segments; and

wherein

the database stores information identifying the digital program segments stored, the location, and the period of time as determined by the set of rules; and

the set of rules is based upon an aggregation of related user preference information of a plurality of users.

80. (Amended) A computer program product as described in claim 62 wherein the instructions for accessing at least one of the first digital programming segment and the second digital programming segment further comprise instructions for causing the digital programming system to retrieve at least one of the first digital programming segment and the second digital programming segment from the Internet via a communication link between the programming transmission center and the Internet.

81. (Amended) A computer program product as described in claim 62 wherein the instructions for accessing at least one of the first digital programming segment and the second digital programming segment further comprise instructions for causing the digital programming system to retrieve at least one of the first digital programming segment and the second digital programming segment from a private network via a communication link between the programming transmission center and the private network.

82. (Amended) A computer program product as described in claim 62 wherein the digital programming system transmits the succession of digital program segments over a transmission medium selected from the group comprising: terrestrial broadcast television, cable, satellite, fiber optic, microwave, radio, telephone, wireless telephone, and a communication network.

85. (Amended) A computer program product as described in claim 62 wherein the plurality of digital program segments comprise at least one of the programming selected from a group comprising: audio, video, multimedia, graphic image, animation, data, programming applications, and text.

86. (Amended) A computer program product as described in claim 62 wherein the plurality of digital program segments comprise still frame pictures for transmission via a low bandwidth transmission medium.

88. (Amended) A computer program product as described in claim 70 wherein the computer readable program code further comprises instructions for causing the digital programming system to receive the user preference information at the programming transmission center via the backchannel communication link, wherein

the user preference information further comprises at least one of a user selection and an interactive response by the user to an interrogatory contained in the digital program segments; and

the selection of the succession of digital program segments is further determined by the digital programming system based upon at least one of the user selection and the interactive response.

89. (Amended) A computer program product as described in claim 64 wherein the instructions for encoding further include instructions for encoding a data command in at least one of the succession of digital program segments, the data command for instructing receiving equipment of the user to retrieve an additional digital program segment from the Internet.

90. (Amended) A computer program product as described in claim 64 wherein the instructions for encoding further include instructions for encoding a data command in at least one of the succession of digital program segments, the data command for instructing receiving equipment of the user to retrieve an additional digital program segment from a private network.

In the Abstract:

A customized programming creation system provides the ability to transmit customized programming offerings to individual users based upon their known profile or their responses to contemporaneous queries. The invention provides for a programming transmission center to maintain a single or multiple MPEG storage server environments storing a vast library of programming and other information signals. The transmission center selects and accesses programming segments or other information from the storage servers. Through the use of splice points encoded through the MPEG process, the programming transmission center can inconspicuously splice disparate program segments together to create a single custom program stream for delivery to a single user or multiple users of the same profile.
